


















# RollMax Product Selection Chart

TEMPORARY				
Product Description	Longevity	Typical Slope Applications (H:V)	Channel Application Thresholds	
 Accelerated photodegradable, polypropylene top net, 100% straw fiber matrix DS75	45 days	4:1 - 3:1	1.55 psf / 5.0 fps	
 Accelerated photodegradable, polypropylene top & bottom net, 100% straw fiber matrix DS150	60 days	3:1 - 2:1	1.75 psf / 6.0 fps	
 Photodegradable, polypropylene top net, 100% straw fiber matrix S75	12 months	4:1 - 3:1	1.55 psf / 5.0 fps	
 Photodegradable, polypropylene top & bottom net, 100% straw fiber matrix S150	12 months	3:1 - 2:1	1.75 psf / 6.0 fps	
 UV-stable polypropylene top net, 70% straw/30% coconut fiber matrix, photodegradable polypropylene bottom net SC150	24 months	2:1 - 1:1	2.0 psf / 8.0 fps	
 UV stable polypropylene top & bottom nets, 100% coconut fiber matrix C125	36 months	1:1 and Greater	2.25 psf / 10.0 fps	
BIONET				
 Leno woven biodegradable jute top net, 100% straw fiber matrix S75BN	12 months	4:1 - 3:1	1.6 psf / 5.0 fps	
 Woven biodegradable jute top and bottom net, 100% straw fiber matrix S150BN	12 months	3:1 - 2:1	1.85 psf / 6.0 fps	
 Woven biodegradable jute top and bottom net, 70% straw/30% coconut fiber matrix SC150BN	18 months	2:1 - 1:1	2.10 psf / 8.0 fps	

TEMPORARY				
Product Description	Longevity	Typical Slope Applications (H:V)	Channel Application Thresholds	
 Woven biodegradable jute top and bottom net, 100% coconut fiber matrix C125BN	36 mo.	1:1 and Greater	2.35 psf / 10.0 fps	
 700 g woven biodegradable coir top net, 100% coconut fiber matrix, woven biodegradable jute bottom net C700BN	36 mo.	1:1 and Greater	2.35 psf / 10.0 fps	
PERMANENT				
ERONET				
 UV-stable polypropylene (PP) top and bottom net, 100% PP fiber matrix P300	Permanent	1:1	Unvegetated 3.0 psf / 9.0 fps Vegetated 10 psf / 16.0 fps	
VMAX				
 UV-stable PP top & bottom nets, UV-stable PP crimped center net, 100% straw fiber matrix S200	Permanent	1:1 and Greater	Unvegetated 2.3 psf / 8.5 fps Vegetated 8 psf / 18	
 UV-stable PP top & bottom nets, UV-stable PP crimped center net, 70% straw/30% coconut fiber matrix SC250	Permanent	1:1 and Greater	Unvegetated 3.0 psf / 9.5 fps Vegetated 10 psf / 15.0 fps	
 UV-stable PP top & bottom nets, UV-stable PP crimped center net, 100% coconut fiber matrix C350	Permanent	1:1 and Greater	Unvegetated 3.2 psf / 10.5 fps Vegetated 12 psf / 20 fps	
 UV-stable PP top & bottom nets, UV-stable PP crimped center net, 100% PP fiber matrix P550	Permanent	1:1 and Greater	Unvegetated 4.0 psf / 12.5 fps Vegetated 14 psf / 25 fps)	
 100% UV-stable PP monofilament yarns, woven into a 3-D structure TMAX/ TMAX3k	Permanent	1:1 and Greater	Vegetated TMax: 15 psf / 25 fps TMax-3k: 12 psf / 20 fps	