



**SEDIMAX™**  
SEDIMENT RETENTION

## Specification Sheet – SediMax-SW12™ (Straw Wattle 12 Inch)

### DESCRIPTION

The SediMax-SW12 shall be composed of agricultural straw and be wrapped in tubular UV-stabilized synthetic net.

The netting weight shall be 0.35 oz/linear ft and shall be made from HDPE (High Density Polyethylene) photodegradable oriented net with carbon black for UV inhibition. The netting shall have a diamond shaped aperture measuring 0.50 x 0.50 in (1.27 x 1.27 cm).

The wattle ends will be secured with wire closures. SediMax-SW12 shall be installed according to manufacturer's recommendations. They shall be installed on contours and staked with 18 to 24 inch wood stakes at four foot on center.

Material Content		
<b>Matrix</b>	100% Straw Fiber	3.75 lbs/linear ft (5.61 kg/linear meter)
<b>Netting</b>	Tubular, diamond-shaped netting	0.35 oz/linear ft (30.0 g/linear meter)
<b>Wire Closure</b>	Industrial grade ring wire, 18 gauge	3.75 in (9.53 cm)

Physical Specifications	
<b>Width</b>	12.00 in (30.48 cm)
<b>Length</b>	10.00 ft (3.05 m)
<b>Weight +/- 10%</b>	37.5 lbs (17.10 kg)



**NORTH  
AMERICAN  
GREEN®**

North American Green  
5401 St. Wendel-Cynthiana Road  
Poseyville, Indiana 47633

nagreen.com  
800-772-2040

©2017, North American Green is a registered trademark. Certain products and/or applications described or illustrated herein are protected under one or more U.S. patents. Other U.S. patents are pending, and certain foreign patents and patent applications may also exist. Trademark rights also apply as indicated herein. Final determination of the suitability of any information or material for the use contemplated, and its manner of use, is the sole responsibility of the user. Printed in the U.S.A.